

Marijuana Policy Kevin A. Sabet, PhD

www.learnaboutsam.org



Two Organizations, One Mission



<u>501 C-4</u>

- SAM Action is dedicated to promoting healthy marijuana policies that do not legalize drugs
- Active at all levels of national, state, and local policy-making
- Invests dollars in and starts organizations to promote smart marijuana policies



<u>501 C-3</u>

- SAM's mission is to educate citizens on the science of marijuana and to promote health-first, smart policies and attitudes that decrease marijuana use and its consequences
- Brings light to and conducts research into marijuana's negative effects



SAM promotes an evidence-based approach to marijuana policy that prioritizes public health

- Non-partisan but high-profile: founded by former Democratic Congressman Patrick Kennedy and leading Republican pundit David Frum
- Scientific advisory board of more than 12 leading researchers, professors, and public health/legal experts
- Hundreds of thousands of press mentions, including major media outlets such as:





Groups SAM has collaborated with

- American Society of Addiction Medicine
- American Academy of Pediatrics
- National Business Group on Health
- American Academy of Child and Adolescent Psychiatry
- Other leading public health authorities
- Over 30 state affiliates, including:
 - Treatment centers
 - Recovery groups
 - Prevention organizations
 - Law enforcement
 - Leading medical authorities
 - Volunteer citizens
 - Business groups

Cronos CEO: \$1.8 billion from Big Tobacco is just a beginning for cannabis industry

Published: Dec 10, 2018 7:48 a.m. ET






Altria can help Cronos standardize its approach to marijuana, CEO says after announcing investment



Smart Approaches to Marijuana (SAM)'s legalization opponent Kevin Sabet may be right: like it or not Big Tobacco is invading cannabis.



And This...



MEDICAL MARIJUANA



Former Big Pharma OxyContin CEO Now Selling Medical Cannabis




Published 2 years ago on November 29, 2016

Maureen Meehan





We are living in 1918...



Citize sub-blancy, kay the adventical based every case!

Repeating History?



Executive Summary

- Today's marijuana is harmful often 30 times stronger than marijuana of the past.
- Legalization in the US has had significant costs hospital visits, workplace productivity, car crashes, secondhand smoke issues, environmental concerns
- Medical marijuana and recreational marijuana can be very different things – one can be a medicine and one is used for intoxication
- Legalization violates UN treaties and goes against the spirit of international cooperation against drugs
- Leading public health authorities oppose legalization
- Legalization will not solve the violence problem Colombian cartels make billions from legal industries (lumber, mining) and legalization would only enrich cartels

Safer than alcohol?

- Is alcohol legal because its safe?
- Marijuana's effects last longer
- Abusers report far more problems at home, work, and school
- People rarely substitute pot for booze they mix them instead
- Lots of people drink; very few use marijuana—despite what you see on TV



Despite the increasing popularity of using marijuana, **it is illegal because its harmful**

Increased potency


Today's marijuana is not the marijuana of the past. We cannot compare 99% THC purity with 3-5% purity of the past. Researchers are not in favor of legalization

International Law

Marijuana is illegal under the obligations of three int'l treaties, otherwise known as the Single Convention Illegality Important


K

Keeping marijuana illegal is a key public health strategy – legal drugs are used far more than illegal ones SOME Components of marijuana have medicinal qualities but this does not mean all of it does



© SAM


The false dichotomy: "Legalization <u>OR</u> incarceration?"



People are not in prison for pot; legalization is about making people rich, not social justice

© SAME

Three separate issues that often get conflated



How did we get here?

https://www.youtube.com/watch?v=g_HcZz1T5uo



Not This...






...But This



















Joe Camel Returns?





Marijuana Use is Skyrocketing

Marijuana Users in Millions




Users

23.9 Million Past Month Users of Marijuana in 2015 14.6 Million Past Month Users of Marijuana in 2002

Source: SAMHSA, 2016 National Survey on Drug Use and Health

Colorado now #1 in the US for first-time use


YOUTH MARIJUANA USE CONTINUES TO RISE IN STATES THAT HAVE LEGALIZED.



© SAM

Youth Use

REGULATED MARKETS ONLY INCREASE EXPOSURE AND PROMOTE THE NORMALIZATION OF YOUTH MARIJUANA USE.




© SAME


The Vape and Marijuana Industries Are Inextricably Linked



PAX is now explicitly a THC vaporizer company



Silicon Valley start-up, Juul, used savvy social media marketing strategies to promote a trendy image associated with their products. They are currently under investigation by the FDA.



AUL juulvapor • Following

juulvapor The freedom of a #JUULmoment.

WARNING: This product contains nicotine. Nicotine is an addictive chemical. #juul #juulvapor

spencerhcain @Chelsea.grieco cash me in the office bathroom

sleepyboy369 @chrimoulto freedom hell yea

ohmcityvapes Beautiful

katemorganmcleod @doresandre you look amazel You a star •

scootsadam i just lost mine in my own

♥ Q 640 likes

interesting the

Superior Contents of

Add a comment...

ARA O ARA





Pattern

7.58 PM - 4 Jun 2018

D



Introducing JURA - Smoking Evolved

ANA ANA Management 20, 2217 - 0

Experience the classics, Limited follow classic menthol and classic totacce. AULpads are new in struct at select retail totations, while supplies last. Check our store locator to contact a facation near you about availability. Hop-club. http://www.

LIMITED EDITION




CO₩ 25 El Commento + Marco S S.Re Commento A Strace



Kang Penny and Orlando Bloom Share a Yape Pen at Dolden Dobes, lighte Darling Rumors Or bitmen Dobes Darling Rumors Dobes Darling Rumors



Similar branding, including celebrity endorsements, is used to promote their marijuana-vaporizing product - Pax.



The pod technology used by Pax Labs provides a highly-addictive means of consumption





Juul pods contain **3x the legal limit** of nicotine in the EU and their sales are currently banned.

Some Pax Era pods can be as potent as 80% THC. Amsterdam considered a proposal to classify THC potency higher than 15% as a hard drug





Other THC vaporizer companies advertise on social media with cartoon characters targeted at ComicCon







© SAME

While Juul has global ambitions, they have faced criticism from several countries

European Union

Juul pods contain **3x the legal limit** of nicotine and their sales are currently banned in the EU.

Israel

Juul arrived and began sales in May of 2018. Their sales were officially banned by August 2018.

Canada

Juul recently decided to pull their flavored pods from stores and restrict them to online sales. However, they did not do the same in Canada and continue to sell flavored pods such as "crème brulee" in stores.



COSMOPOLITAN There's a Weed-Infused Wine on the Market



Only 35 calories per glass.

Each glass has only 5mg THC.

Meaning you can enjoy it at a dinner party and still be able to talk to everyone





This New Rosé Is Supposed To Be Hangover-Free — But It Will Get You High

Marjuppenford wire is now a Ring. Officially.



Coming Soon From Molson Coors: Marijuana Beer

Weiser Story new service is targeting the Canadian cantallia market.



"I'm ready to introduce another high-impact brand to the industry again, this time with a new line of custom cannabis-infused craft beers."

-Creator of Blue Moon





"Smoking is gross," a high schooler said. "Juuling is really what's up."

THE PROMISE OF VAPING AND THE RISE OF JUUL

Trens have taken a technology that was supposed to help grownups step smoking and invented a new kind of had habit, molded in their own image.






BAT Pulls Ahead in U.S. Vaping Battle, Shares Jump


British American Tobacco plans to test its new Eclipse tobacco heating device in the United States this year, allowing it to pull ahead of Philip Morris in the world's biggest vaping market.



The top 10% of the population make up 75% of the alcohol industry's U.S. sales



© SAM Source: Cook, P. J. (2007). Paying the tab: The economics of alcohol policy. Princeton, NJ: Princeton University Press




of MJ users

Source: Colorado Department of Revenue: Market Size and Demand © SAME: for Marijuana in Colorado

Amount Consumed

Marijuana has become significantly more potent since the 1960s




Marijuana is not "just a plant" anymore – derivatives contain up to 98% THC



Cannabinoid Receptors Are Located Throughout the Brain and Regulate a Host of Brain Activity

- Brain Development
- Memory & Cognition
- Motivational Systems & Reward
- Appetite
- Immunological Function
- Reproduction
- Movement Coordination
- Pain Regulation & Analgesia



Causal Relationship between marijuana and mental illness

Case Reports in Medicine Volume 2009, Article ID 321456, 2 pages http://dx.doi.org/10.1155/2009/321456

Case Report Suicidal Ideation Induced by Episodic Cannabis Use

Michele Raja^{1,2} and Antonella Azzoni²

Abstract Full-Text PDF Full-Text HTML Full-Text ePUB Full-Text XML Linked References

3. Discussion

In patient's life, suicidal ideation presented in two different occasions, only immediately after acute cannabis intoxication. This strongly suggests the causal relationship between intoxication and suicidal ideation.

There is a convincing relationship between suicidal behavior and cannabis use, the latter awakening depressive experiences [3]. Rates of cannabis abuse are elevated among those being treated for depression [4, 5] and among those making a suicidal attempt [6]. In a sample of Italian students, the use of cannabis was associated with suicide risk [7]. In a population of French adolescents, cannabis use appeared to be an independen predictor of suicidal ideation after controlling the depressive symptoms [8]. In a cohort study of young Norwegians, cannabis by itself seemed not to lead to depression but was associated with later suicidal thoughts and attempts [9].

SUMMARY AND COMMENT | PSYCHIATRY, GENERAL MEDICINE

MINFORMING PRACTICE

September 12, 2017

Cannabis Use May Be Causally Related to Depression and Suicidal Ideation

Peter Roy-Byrne, MD reviewing Agrawal A et al. Lancet Psychiatry 2017 Sep

In an analysis of twins discordant for frequent cannabis use, common predisposing factors did not fully explain these associations.

Epidemiologic studies have found associations between cannabis use and both depression and suicidality (thoughts or behaviors) but have not determined whether the associations are causal or attributable to confounding factors or common genetic vulnerabilities. To control for common genetic and family environmental factors, researchers examined the associations in 13,986 Australian twins (6181 monozygotic and 7805 dizygotic twins) drawn from three registry studies between 1992 and 2009. Within twin pairs discordant for cannabis use, persistence of the association in the cannabis-using twin would suggest that use is causally related to depression and suicidality.

In the entire sample, early cannabis use and frequent use were associated with major depression and suicidal ideation and attempt. Analyses of twin pairs who were discordant for early versus later or no use did not yield consistent findings. However, within monozygotic twin pairs discordant for frequent versus limited or no use, frequent use was associated with depression (odds ratios: compared with no or limited use, 1.68; compared with lighter use, 1.98) and suicidal ideation (ORs, 2.35 and 2.47, respectively).

COMMENT

This study suggests a causal relationship between frequent cannabis use and both major depression and suicidal ideation. This relationship may be mediated both via effects of the cannabinoid system on mood and via environmental factors related to cannabis use itself (e.g., increased trauma exposure, diminished life opportunities, other associated drug use). The analysis is limited by the possibility that not all confounders were accounted for and by arbitrary thresholds used to define early use and frequency of use. The results provide a counterpoint of caution against the increasing promotion of cannabis use as a therapeutic tool for various medical conditions.



ScienceDaily

Your source for the latest research news

Science News

from research organizations


Causal links between cannabis, schizophrenia: New evidence

- December 19, 2016 Date:
- University of Bristol Source:
- Summary: People who have a greater risk of developing schizophrenia are more likely to try cannabis, according to new research, which also found a causal link between trying the drug and an increased risk of the condition.



Follow

Just In: He




These can often present as a "<u>psychotic episode</u>" – which is a relatively sudden worsening of psychotic symptoms over a short time-frame, frequently resulting in hospitalisation.

The heaviest users of cannabis are around <u>four times as likely</u> to develop schizophrenia (a psychotic disorder that affects a person's ability to think, feel and behave clearly) than non-users. Even the "average cannabis user" (for which the definition varies from study to study) is around <u>twice as</u> <u>likely</u> as a non-user to develop a psychotic disorder.

Furthermore, <u>these studies found</u> a **caus**al link between tetrahydrocannabinol (THC - the plant chemical which elicits the "stoned" experience) and psychosis. This means the link is not coincidental, and one has actually **caus**ed the other.




New Book Is Changing the Debate



The Industry Today








FOR NERVOUS PROSTRATION, BRAIN EXHAUSTION, DEPRESSION OF SPIRITS, MENTAL AND PHYSICAL DEBILITT, NEURASTHENIA, SICK HEADACHE, NEURALGIA, CASES OF THE OPIUM, TOBACCO, ALCOHOL, OR CHLORAL HABIT, WEAK STATES OF THE VOICE, CONVALESCENCE FROM EXHAUSTION OR EXHAUSTIVE DISEASES, LOSS OF APPETITE, GASTRIC CATARRI, NERVOUS AND OTHER FORMS OF DYSPEPSIA, WEAK STATES OF THE GENERATIVE SYSTEM, WEAKNESS OF OLD AGE, ETC., ETC.

The best-known Preparation of that inestimable remedy, Coca, is OUR RESTORA-TIVE WINE OF COCA, containing, as it does, all the medicinal virtues without any of the del-ferious principles of the leaves. There are many Wines of Coca. We invite a comparison on the points of taste, strength, and curative properties of ours with any Wine over manufactured. It is already before the profession, and in less than two years has abolished the use of several Wines of Coca, and greatly lessened the sales of others which had previously almost monopolized the market.

The Marijuana Industry Sees a Business Opportunity



© SAME https://media.jamanetwork.com/news-item/lower-opioid-overdose-death-rates-associated-with-state-medical-marijuana-lawed



In the 2014 JAMA Study:

- The raw data showed that medical marijuana states had **higher** rates of opioid deaths until the authors introduced four possible reasons.
- The study lumped together highly restricted states with highly permissive states.
- The study left out critical alternative explanations, like expanded Medication Assisted Treatment programs or expanded Naltrexone use.




JAMA Study

© SAME

- Unpublished data (*Tell Your Children*, Alex Berenson, 2019) found that this correlation disappears after 2010.
- Journal of Opioid Management (2017) tried to replicate, found that Med MJ laws associated with 22% increase in age-adjusted opioid mortality
- Feb 2018 *Addiction* editorial: marijuana-stopsopiate connection "very weak."

Lancet Study



© SAME

Campbell, G., Hall, W. D., Peacock, A., Lintzeris, N., Bruno, R., Larance, B., ... & Blyth, F. (2018). Effect of cannabis use in people with chronic noncancer pain prescribed opioids: findings from a 4-year prospective cohort study. *The Lancet Public Health, 3*(7), e341-e350.

Lancet Conclusions

© SAME

- No evidence that cannabis use improved patient outcomes;
- Those who used cannabis had greater pain and lower self-efficacy in managing pain
- No evidence that cannabis use reduced pain interference or exerted an opioidsparing effect

Medical Marijuana Users are More Likely to Use Prescription Drugs Medically and Nonmedically

Caputi, Theodore L., BS; Humphreys, Keith, PhD

Journal of Addiction Medicine: July/August 2018 - Volume 12 - Issue 4 - p 295-299 doi: 10.1097/ADM.0000000000000405 Original Research



Abstract

Author Information

Objectives: Previous studies have found a negative pop availability in US states, and trends in medical and nonm interpreted as evidence that use of medical marijuana re This study evaluates whether medical marijuana use is a prescription drug use.

Methods: Simulations based upon logistic regression an Use and Health were used to compute associations betw prescription drug use. Adjusted risk ratios (RRs) were co status, family income, and living in a state with legalized


Results: Medical marijuana users were significantly mor to report medical use of prescription drugs in the past 12 also significantly more likely to report nonmedical use in 95% (11.67–2.62), with elevated risks for pain relievers CI 1.09–3.02), and tranquilizers (RR 2.18, 95% CI 1.45–

Conclusions: Our findings disconfirm the hypothesis the manijuana use and prescription drug harms occurs becau prescription drugs, either medically or nonmedically. Med efforts to combat nonmedical prescription drug use.

"Our findings disconfirm the hypothesis that a populationlevel negative correlation between medical marijuana use and prescription drug harms occurs because medical marijuana users are less likely to use prescription drugs, either medically or nonmedically. Medical marijuana users should be a target population in efforts to combat nonmedical prescription drug use."



Marijuana use goes hand-in-hand with increased prescription opioid abuse





2018 in JAMA Internal Medicine

"The opioid crisis appears to be worsening where marijuana has been legalized."

At the start of the 2010-2016 period, the annual age-adjusted opioid death rate in legalizing and nonlegalizing jurisdictions was the same, with overlapping 95% CIs between 8.0 and 8.5 deaths per 100 000 people. Whereas the nonlegalizing states subsequently had no increase in their opioid death rate until 2014, the monthly rate in the legalizing jurisdictions increased steadily during 2010 through 2013 at 4.5% per year (P<.001), while 5 states and the District of Columbia legalized medicinal marijuana, and 2 states legalized recreational use. Thereafter, the legalizing jurisdictions' death rate distinctly accelerated, first to 16.4% per year (P<.001) until October 2015 and then to 33.5% per year (P<.001) as 12 more states approved medicinal marijuana and 2 more states and the District of Columbia approved recreational use. In the nonlegalizing states, the opioid death rate increased during 2014 through 2016 but more slowly (16.4% per year) than in the legalizing jurisdictions. In 2016, the mean (95% CI) age-adjusted death rate per 100 000 people was 18.2 (18.0-18.4) and 13.2 (13.0-13.4) in the legalizing and nonlegalizing jurisdictions, respectively. As of December 2016, the rate in nonlegalizing states. Areas under the joinpoint regression curves suggest that 20.34 (72%) of 28.19 additional deaths per 100 000 people during January 2010 through December 2016 occurred where marijuana was legalized.

The opioid crisis appears to be worsening where marijuana has been legalized, despite fewer opioid prescriptions, and as such, constitutes evidence for the gateway hypothesis and against the marijuana protection hypothesis. In any event, before other states rush to legalize marijuana and risk worsening the opioid crisis, the marijuana-opioid interaction should be more definitively researched.

MARIJUANA USE CAN DECREASE PAIN THRESHOLDS, REQUIRING MORE MEDICATION.

PATIENT SAFETY IN SURGERY, 2018

Researchers found that patients reporting marijuana use actually experienced more pain on average when admitted to the hospital following a traumatic injury than those that did not. Compared to non-users, they required more opioid medication to cope with the pain and consistently rated their pain higher during the duration of their stay.

MARIJUANA IS OFTEN USED WITH OTHER SUBSTANCES.

THE AMERICAN JOURNAL OF PSYCHIATRY, 20164

Regular use of marijuana is linked with increased risk of developing cannabis use disorder, higher rates of mental illness and higher rates of co-substance abuse with alcohol, among other drugs.



4 Hasin, D. S., Kerridge, B. T., Saha, T. D., Huang, B., Pickering, R., Smith, S. M., ... & Grant, B. F. (2016). Prevalence and correlates of DSM-5 cannabis use disorder, 2012-2013: findings from the National Epidemiologic Survey on Aicohol and Related Conditions-III. American Journal of Psychiatry, 173(6), 588-599.

National Academy of Sciences report

EXPOSURE

Smoking cannabis during pregnancy is linked to lower birth weight in the offspring.

The relationship between smoking cannabis during pregnancy and other pregnancy and childhood outcomes is unclear.

PROBLEM CANNABIS USE

Greater frequency of cannabis use increases the likelihood of developing problem cannabis use.

Initiating cannabis use at a younger age increases the likelihood of developing problem cannabis use.

CANNABIS USE AND ABUSE OF OTHER SUBSTANCES

Cannabis use is likely to increase the risk for developing substance dependence (other than cannabis use disorder).

TO READ THE FULL REPORT AND VIEW RELATED RESOURCES, PLEASE VISIT

NATIONALACADEMIES.ORG/ CANNABISHEALTHEFFECTS

A limited number of studies suggest that there are impairments in cognitive domains of learning, memory, and attention in individuals who have stopped smoking cannabis.

of

Cannabis use during adolescence is related to impairments in subsequent academic achievement and education, employment and income, and social relationships and social roles.

MENTAL HEALTH

Cannabis use is likely to increase the risk of developing schizophrenia and other psychoses; the higher the use the greater the risk.

In individuals with schizophrenia and other psychoses, a history of cannabis use may be linked to better performance on learning and memory tasks.

Cannabis use does not appear to increase the likelihood of developing depression, anxiety, and posttraumatic stress disorder.


For individuals diagnosed with bipolar disorders, near daily cannabis use may be linked to greater symptoms of bipolar disorder than non-users.

Heavy cannabls users are more likely to report thoughts of suicide than non-users.


Regular cannabis use is likely to increase the risk for developing social anxiety disorder.

© SAM

Guess which drug has gone up in CO?




JAMA Psychiatry journal: Marijuana use and addiction has skyrocketed since 2001



Monitoring the Future Data (2018)

One in four 12th graders would try marijuana, or increase their use of the drug *if marijuana were legalized*.





In the general workforce, marijuana positivity increased 4% from last year while it increased nearly 8% in the safetysensitive workforce.

Source: Quest Diagnostics (2018)



MARIJUANA RELATED CRIME AND OFFENSES SINCE LEGALIZATION


One hundred three (103) law enforcement agencies reported 6727 qualifying incidents in 554 public schools during the 2015-16 academic year, from August 1, 2015 through July 31, 2016.

CRIMES AND OFFENSES IN PUBLIC SCHOOLS, 2015-2016

OFFENSE	N	%	CUMULATIVE 9
Marijuana (#1)	1561	23%	23%
Assault	834	12%	36%
Disorderly Conduct/ Fighting	814	129	48%
Public Peace	666	10%	58%
Dangerous Drugs	420	6/6	64%
Larcenty/Theft	341	5%	69%
Liquer/Alcohol	297	4%	73%
Tresspass	260	4%	77%
Obstruct	206	39.	80%
Harassing Communication	203	3%	83%
Other/Unclear	194	3%	86%
Weapon Offense	141	2%	88%
Tobacco.	127	2%	90%
Damage Property	120	2%	92%
Tall _ EOffense	91	1%	93%
Sexual Assault/Offense	76	196	94%
Warrant	57	1%	95%
Criminal Mischief	47	1%	96%
Runaway/ Missing Person	41	1%	97%
Interference with Educ Inst	39	<1%	97%
Truancy	36	<1%	98%
Burgary	33	<1%	98%
Menacing	26	<1%	99%
Arson	25	<1%	99%
Robbery	20	<1%	99%
Curlew	16	<1%	100%
Family/Child Offense	12	<1%	100%
Vehicle Theft	8	<1%	100%
Fraud/Forgery	5	<1%	100%
Kidnapping	5	<1%	100%
Invasion of Privacy	2	<1%	100%
Total	6727	100%	100%

Source: Colorado Department of Public Salety, 2017

In CT, estimates of just a few costs outweigh projected revenues by over 90%




Current Regulatory Failures

- No Potency Caps
- Black Market (and Cartels)
- Increased Access for Minors
- Pesticides and Contaminants
- Recommended to Pregnant Women

99% THC is already for sale

THC is the active ingredient in marijuana; it is what gets someone "high" and it is extremely powerful and harmful in large doses.





Product Innovation in Delivery Systems


THC is not only smoked in joints, but now available in electronic form and in forms that look like needles. THC can be eaten, vaporized, and used in many ways – attracting new users who do not like to smoke.





More people are using non-smoked marijuana

Ready-To-Use Products Surpassed Flower For The First Time In History



• SAME: https://www.eaze.com/blog/posts/eaze-insights-2017-cannabis-data-report

Younger users are the highest users of concentrates – powerful and pure THC oil

_	_	
_	_	
1	<u> </u>	

CONCENTRATES

Concentrates are highly potent extracts made from cannabis flower that come in many varieties. If flower is like wine, then concentrates would be the fine scotch-potent, with intense flavor and aroma. The highly refined nature of concentrates makes them a favorite among people who are looking for purity, maximum taste, and instant effect.

What percentage of customers ordered them in 2017?



MILLENNIAL

1985-1995

GEN X 1965-1984

EASY ECOMERS 1946-1964

What about edibles/drinkables?

- Delay in effect encourages additional consumption (the first time)
- Additional consumption may result in an expensive visit to the ER
- THC metabolizes into 11-hydroxy THC in the stomach
- CBD metabolizes into THC in the stomach
- Much more psychoactive, much more dangerous mental health impacts

The Black Market in California: Alive and Well

Permitting commercial marijuana activities does not reduce or eliminate the black market. Foreign cartels are using marijuana legalization to provide cover for illicit activities.

Today, California is the epicenter of black market marijuana --activists in California counties such as Calaveras are pushing back, trying to ban cannabis farms to cut off the cartels. They say drug traffickers are importing automatic weapons and using illegal, highly toxic pesticides that are eviscerating forest animals and poisoning freshwater sources. "We're going down the toilet bowl," says Calaveras County Sheriff Rick DiBasilio, "and it's not going to get any better." January 2018



https://www.nbcnews.com/news/us-news/foreign-cartels-embrace-home-grown-marijuana-pot-legal-states-n875666

"Seed-to-Sale" – where governments claim to know what happens to each marijuana seed, is flawed

Missing marijuana: Weed disappearing from licensed dispensaries, not all cheaters get caught

POSTED 851 PM, MAY 1, 2017, BY CHRIS HALSNE, UPDATED AT 09:52 PM, MAY 1, 2017

FOX 31 2NEWS

Growers take advantage of this tracking system very easily

"One pattern of noncompliance stood out: The much-touted "seed-to-sale" tracking of every marijuana plant has some flaws...

"But plenty of pot still ends up missing. How the METRC system works, by law, is supposed to be a bit of a mystery...

"Within that gray area is where cheaters can list perfectly good marijuana product as too damaged to sell, then sell it anyway."

In a complete betrayal of trust, seed to sale tracking companies are selling consumer data insights



Who Is Buying Cannabis?

November 23, 2018

November 26, 2018, Washington -- New Frontier Data, a leading authority in data, analytics and business intelligence in the global cannabis industry, in partnership with MJ Freeway, the creators of the leading seed-to-sale ERP system for the legal cannabis market, have jointly published a report setting forth the definitive results of the largest consumer archetype study for the cannabis industry to date.



Sales to Minors Continues in "Legal" States



For more information: Mark Pettinger, Marijuana Program Spokesperson, (503) 872-5115 www.marijuana.oregon.gov

January 10, 2018

Licensees Across Oregon Fail to Stop Sales to Minors OLCC Marijuana Retailer Minor Decoy Checks Continue

Legalization Means Increased Availability to Children

TIME A 9-Year-Old Accidentally Shared Her Grandpa's Marijuana Gummies With Her Fifth-Grade Class Edible marijuana at Hollywood school sends 14-year-old girl to hospital Hollywood police officer investigates 'Weedos' marijuana incident

By Ian Margol - Reporter, Andrea Torres - Digital Reporter/Producer

One arrest gummy bears sicken Chula Vista students



BY: Jessica Chen , Mark Saunders POSTED: 2:53 PM, Apr 27, 2017 UPDATED: 12:05 AM, Apr 28, 2017


States are failing to regulate pesticide use



SHOW TRANSCRIPT

athy Curran f 🔰 🖂

5 Investigates put the purity of medical manipuana to the test, worki samples bought off the shelves. Investigative reporter Katby Curran never have been sold, but uncovered gaping holes in the state regul manipuana safe and contaminant-free. Bel Weather 🗸



MARIJUANA NEWS

Contaminated marijuana still reaching consumers in Oregon

Updated Jun 18, 2017; Posted Jun 17, 2017



Gallery: Cannabis product testing for pesticides

States are failing to regulate pesticide use

Pesticides and Pot: What's California Smoking?



An NBC4 I-Team investigation found evidence suggesting that pesticides could be present in a lot of marijuana legally sold in California

By Joel Grover and Matthew Glasser

Published at 10:57 PM PST on Feb 22, 2017 | Updated at 1:37 PM PST on Nov 8, 2017

Steep Hill Labs found 41 out of 44 samples, 93 percent, tested positive for pesticides, at levels high enough that those products would've been banned for sale in some other states that currently regulate the use of pesticides in marijuana products.

"It appears pesticides are very widely used" on California's marijuana crops, said Dr. Don Land, a UC Davis chemistry professor who is Steep Hill's chief scientist. "It was surprising that so many (samples) had so much contamination."



Non-publicized Recalls of Marijuana Products (In CO)

Denver Public Health Recalls of Marijuana products --

2018

February 16, 2018 - Lightshade Labs LLC Voluntarily Recalls Medical and Retail Mariuana Due to Presence of Yeast/Mold in Pre-Boll Products

2017


- December 5, 2017 Infuzionz LLC Voluntarily Recalls Marijuana Product Due to Non-Food Grade Ingredients
- October 26, 2017 Little Brown House Dispensary LLC/Delta-9 Delights LLC Voluntarily Recalls Marijuana and Marijuana Products Due to Pesticide Residues
- August 21, 2017 Left Bank LLC Voluntarily Recalls Marijuana Products Due to Non-Food Grade Ingredients
- August 10, 2017 Kirke LLC/Metro Deriver Tefluride Health Center LLC Voluntarily Recalls Medical Marijuana Due to Pesticide Residues
- July 27, 2017 Buddles Wellness LLC Voluntarily Recalls Medical Mariuana Due to Powdery Mildew and Mite Contamination
- July 24, 2017 Buddles Wellness LLC/La Bodepa Voluntarily Recalls Medical Marijuana Products Due to Pesticide Residues
- April 14, 2017 Mountain Medicines Recalls Medical Marijuana Infused-Products due to Pesticide Residues
- April 7, 2017 Information Reparding Cannabidiol (CBD) Products Sold or Manufactured in Deriver.
- April 3, 2017 Herbal Options LLC/Rocky Mountain Ways LLC Voluntarity Recalls Medical Manjuana and Manjuana Concentrates Due to Pesticide Residues
- January 19, 2017 GMC LLC Voluntarity Receive Medical and Recreational Mariavana and Products Due to Pesticide Residues

2016


- November 9, 2016 Medicinal Wellness Center LLC Voluntarily Recalls Marijuana and Concentrates Due to Pesticide Residues
- October 24, 2016 Tree of Wellness Voluntarily Recalls Medical Marijuana and Products Due to Pesticide Residues
- August 22, 2016 La Conte's Clone Bar and Dispensary Voluntarily Recalls Medical Marijuana and Products Due to Pesticide Residues
- June 21, 2018 Wash Park Boutique LLC Voluntarily Recalls Medical Marijuana and Products Due to Pesticide Residues
- June 14, 2016 Big Toe Voluntarity Recalls Marijuana and Products Due to Pesticide Residues
- June 8, 2016 The Tea Pot Voluntarily Recalls Medical Marijuana and Products Due to Pesticide Residues
- June 6, 2016 Pineapple Exchange Voluntarily Recalls Medical Mariluana Products Due to Pesticide Residues
- June 1, 2016 JVT Enterprises Voluntarily Recalls Medical Manjuana Products Due to Pesticide Residues
- May 13, 2016 Avicenna Products Voluntarily Recalls Medical Marijuana Products Due to Pesticide Residues
- February 11, 2016 CC Foods Voluntarily Recalls Marijuana Products Due to Pesticide Residues
- January 29, 2016 Caregivers for Life Voluntarity Recalts Mariusans Products Due to Pesticide Residues
- January 27, 2016 Organa Labs Voluntarily Recalls Mariuana Products Due to Pesticide Residues

2015


- December 30, 2015 Mountain High Suckers Voluntarily Recalls Mariuana Products Due to Pesticide Residues
- December 21, 2015 EdiPure Recalls Additional Marjusna Products Due to Pesticide Residues
- December 16, 2015 RevTec Voluntarily Recalls Manual Products Due to Pesticide Residues
- December 11, 2015 Advanced Medical Alternatives Recalls Additional Marijuana Products Due to Pesticide Residues
- December 8, 2015 Ed Pure Recalls Additional Marijuana Products Due to Pesticide Residues
- December 3, 2015 Advanced Medical Atematives Recalls Marijuana Products Due to Pesticide Residues
- December 1, 2015 EdiPure Recalls Marijuana Products Due to Pesticide Residues
- November 18, 2015 Gala's Garden Recalls Additional Mariuana Products Due to Pesticide Residues
- November 17, 2015 Lab710 Concentrates Recalls Marijuana Products Due to Pesticide Residues
- November 3, 2015 Gala's Garden Recalls Marijuana Products Due to Possible Pesticide Residues
- October 30, 2015 Green Cross Recalls Marijuana Products Due to Possible Pesticide Residues
- October 21, 2016 Natura's Cure Recalls Manjuana Products Due to Possible Pesticide Residues
- October 14, 2015 Two Deriver Cultivation Facilities Recall Marijuana Products Due to Possible Pesticide Residues
- Beptember 25, 2015 Consumer Advisory Issued for Autopilot Capsules Manufactured by Rx Green
- September 18, 2015 Two Deriver Businesses Recall Mariluana Products Due to Possible Pesticide Residue
- September 10, 2015 Mahatma Concentrates Recalts Marijuana Product Due to Possible Pesticide Residues
- July 27, 2015 Consumer Advisory Issued for Nature's Herbs Olive Oli
- July 17, 2015 Advisory: The Growing Kitchen Issues Recall of Mary Mint Tincture



Public Arrests Up




Colorado Dept. Public Safety, 2018




Colorado Dept. Public Safety, 2018



In Colorado, African-Americans were disproportionately arrested without a warrant or previous incident report in 2017.



Minorities are still disproportionately targeted for arrests in Colorado since legalization



DENVER

In 2017, African American arrests remained unchanged since 2012 – the year Colorado legalized recreational marijuana.

Hispanic and Asian arrests have since gone up within the same period.

Colorado Dept. Public Safety, 2018

Get Involved!





Connect with us via email at info@learnaboutsam.org & Follow us: @learnaboutsam Facebook.com/learnaboutsa

"We were gaining momentum. But now that's flipped and we're more on the defensive." – Rep. Dina Titus (D-NV), one of the biggest marijuana supporters in Congress.

> Created by IconDots C from Noun Project fit

Created by Stephen Plaster from Noun Project

Created by Gregor Cresnar from Noun Project

A final word from Dr. Nora Volkow in the New England Journal of Medicine:

"Repeated marijuana use during adolescence may result in long-lasting changes in brain function that can jeopardize educational, professional, and social achievements.

"However, the effects of a drug (legal or illegal) on individual health are determined not only by its pharmacologic properties **but also by its availability and social acceptability.**

"In this respect, legal drugs (alcohol and tobacco) offer a sobering perspective, accounting for the greatest burden of disease associated with drugs *not because they are more dangerous than illegal drugs* but because their legal status allows for more widespread exposure."

Dr. Volkow is the Mexican-born naturalized American director of the National Institute on Drug Abuse

Source:

Resources

*A most competing look. .Sabet explores this challenging landscape and arrives at more compreheasive, effective solutions than either legalization or incarceration coold provide to dnal with mariprane use." —On One Pools, Hos, HJN

Kevin A. Sabet, Ph.D

Reefer Sanity

> Seven Great Myths About Marijuana





Contemporary Health Issues on Marijuana

-OXFORD-

Drugabuse.gov LearnaboutSAM.org MarijuanaReport.org





Contact us <u>www.learnaboutsam.org</u> info@learnaboutsam.org